

LANOSPHARMA LABORATORIES Co.,Ltd

info@lanospharma.com www.lanospharma.com Tel: 86 023 6324 5915 Fax: 86 023 6373 1407

B2-4-6, No.180, Yuzhou Road, Yuzhong District, 400042, Chongqing, China

CERTIFICATE OF ANALYSIS

分析报告

Name	Decitabine	Batch No.	10-1076-09A2
Manufacture date	2010-02-10	Expiry date	2012-02-09
Batch Quantity	200g	Standard	Enterprise standard

Items	Reference specification	Test result
Appearance	A white or almost white crystalline powder	Complies
Identification	The infrared absorption spectrum of the sample corresponds to that of the standard sample	Complies
Melting point	198 to 203 °C	Complies
Specific rotation	+58° to 68° (in 0.5mg/ml of water)	+63.0°
Related substances	Any single: ≤ 0.5%	0.39%
	Total : ≤ 1.0%	0.68%
Assay	≥98.5%	99.1%

Conclusion: the test result complies with the Enterprise standard

负责人:

Responsible

Person:




复核人:

Checker:



检验人:

Analyst:



LANOSPHARMA LABORATORIES Co.,Ltd

info@lanospharma.com www.lanospharma.com Tel: 86 023 6324 5915 Fax: 86 023 6373 1407

B2-4-6, No.180, Yuzhou Road, Yuzhong District, 400042, Chongqing, China