

LANOSPHERMA LABORATORIES Co.,Ltd

info@lanospharma.com www.lanospharma.com Tel: 86 023 6324 5915 Fax: 86 023 6373 1407

B2-4-6, No.180, Yuzhou Road, Yuzhong District, 400042, Chongqing, China

CERTIFICATE OF ANALYSIS

分析报告

Name	Tacrolimus	Batch No.	110201
Manufacture date	2011-02-22	Expiry date	2013-02-21
Batch Quantity	100g	Standard	Enterprise standard

Items	Reference specification	Test result
Appearance	Odorless white powder	Complies
Identification	(1)The retention time of major peak for assay preparation should correspond to that of standard preparation (2)IR, should be positive	Complies
Water	Not more than 3.0%	2.0%
Heavy Metals	Not more than 0.002%	Complies
Total isomers of FK506	Not more than 5.0%	0.66%
Singe impurity	Not more than 0.5%	0.29%
Total impurities	Not more than 2.0%	0.54%
Assay	98.0% to 102.0%	100.2%
Ethyl ether	Not more than 5000ppm	Not detected
Methyl tert-butyl ether	Not more than 1000ppm	Not detected



Conclusion: the test result complies with the Enterprise standard

负责人:
Responsible
Person:

复核人:
Checker:

检验人:
Analyst:

LANOSPHERMA LABORATORIES Co.,Ltd

info@lanospharma.com www.lanospharma.com Tel: 86 023 6324 5915 Fax: 86 023 6373 1407

B2-4-6, No.180, Yuzhou Road, Yuzhong District, 400042, Chongqing, China